


WOOD DOORS | IN-STOCK EXTERIOR & INTERIOR





Index

Alliance Door System UltraBlock® Technology PanoLock Multi-Point Hardware	
Exterior Doors	
Contemporary Collection	
Craftsman Collection	8
Simulated Divided Lites (SDL)	8
True Divided Lites (TDL)	10
Nantucket® Collection	10
Craftsman Collection Knotty Alder	24
Exterior French Doors	26
Exterior French Doors WaterBarrier®	27
Entry Doors	28
Exterior Half Lite Doors	29
Exterior Panel Doors	30
Interior Doors	
Interior Panel Doors & Bifolds	32
Interior Louver and Barn Doors	37
Interior French Doors	38
Fire Rated Doors	
20-Minute Fire-Rated Doors	40



Alliance Door Products is a major supplier of doors, millwork, hardware, door systems and components. As a prominent wholesale distributor and door expert, Alliance Door Products offers excellent products and services, including full prehanging and machining capabilities.

Please note that not all models are stocked at each branch. Our branches share inventory for short lead times and fast delivery.

A door is not just a creative expression and a reflection of your style, but also a passage to life's experiences. Choose the right door to add beauty, elegance, character, and quality to your life.

As you embark on the journey of selecting your door design, here are a few pointers to consider. The door designs showcased in this brochure are presented from an external viewpoint of the dwelling. It's advisable to bear this in mind when determining door orientation. The individuality of each door is shaped by the inherent traits of wood. The featured doors offer a dependable approximation of what to anticipate, yet the woodgrain textures and hues will inevitably vary.

For a custom built door try the guided Simpson Door design process at simpsondoor.com/find-a-door. It makes creating a one-of-a-kind door simple.

Contact your door expert for more information.

 $\textbf{Front Cover:} \ \textbf{Top 37662 Door 9541 Dentil} \ poge \ 9 \ | \ \textbf{Bottom Left Custom Half Lite Dutch Door} \ poge \ 27 \ | \ \textbf{Bottom Right 6356 Door 6347 SL} \ poge \ 19 \ | \ \textbf{Bottom Left Custom Half Lite Dutch Door} \ poge \ 27 \ | \ \textbf{Bottom Right 6356 Door 6347 SL} \ poge \ 19 \ | \ \textbf{Bottom Left Custom Half Lite Dutch Door} \ poge \ 27 \ | \ \textbf{Bottom Right 6356 Door 6347 SL} \ poge \ 19 \ | \ \textbf{Bottom Left Custom Half Lite Dutch Door} \ poge \ 27 \ | \ \textbf{Bottom Right 6356 Door 6347 SL} \ poge \ 19 \ | \ \textbf{Bottom Left Custom Half Lite Dutch Door} \ poge \ 27 \ | \ \textbf{Bottom Right 6356 Door 6347 SL} \ poge \ 19 \ | \ \textbf{Bottom Right 6356 Door 6347 SL} \ poge \ 19 \ | \ \textbf{Bottom Right 6356 Door 6347 SL} \ poge \ 19 \ | \ \textbf{Bottom Right 6356 Door 6347 SL} \ poge \ 19 \ | \ \textbf{Bottom Right 6356 Door 6347 SL} \ poge \ 19 \ | \ \textbf{Bottom Right 6356 Door 6347 SL} \ poge \ 19 \ | \ \textbf{Bottom Right 6356 Door 6347 SL} \ poge \ 19 \ | \ \textbf{Bottom Right 6356 Door 6347 SL} \ poge \ 19 \ | \ \textbf{Bottom Right 6356 Door 6347 SL} \ poge \ 19 \ | \ \textbf{Bottom Right 6356 Door 6347 SL} \ poge \ 19 \ | \ \textbf{Bottom Right 6356 Door 6347 SL} \ poge \ 19 \ | \ \textbf{Bottom Right 6356 Door 6347 SL} \ poge \ 19 \ | \ \textbf{Bottom Right 6356 Door 6347 SL} \ poge \ 19 \ | \ \textbf{Bottom Right 6356 Door 6347 SL} \ poge \ 19 \ | \ \textbf{Bottom Right 6356 Door 6347 SL} \ poge \ 19 \ | \ \textbf{Bottom Right 6356 Door 6347 SL} \ poge \ 19 \ | \ \textbf{Bottom Right 6356 Door 6347 SL} \ poge \ 19 \ | \ \textbf{Bottom Right 6356 Door 6347 SL} \ poge \ 19 \ | \ \textbf{Bottom Right 6356 Door 6347 SL} \ poge \ 19 \ | \ \textbf{Bottom Right 6356 Door 6347 SL} \ poge \ 19 \ | \ \textbf{Bottom Right 6356 Door 6347 SL} \ poge \ 19 \ | \ \textbf{Bottom Right 6356 Door 6347 SL} \ poge \ 19 \ | \ \textbf{Bottom Right 6356 Door 6347 SL} \ poge \ 19 \ | \ \textbf{Bottom Right 6356 Door 6347 SL} \ poge \ 19 \ | \ \textbf{Bottom Right 6356 Door 6347 SL} \ poge \ 19 \ | \ \textbf{Bottom Right 6356 Door 6347 SL} \ poge \ 19 \ | \ \textbf{Bottom Right 6356 Door 6347 SL} \ poge \ 19 \ | \ \textbf{Bottom Right 6356 Door 6347 SL} \ poge \ 19 \ | \ \textbf{Bottom R$




Our high quality doors and doors system components offer you solutions for all your building needs. Let the beauty and exceptional performance of the Alliance Door System inspire you.

Architectural design, placement, environment and exposure each present a different set of challenges. Wood Stile & Rail doors are best suited for protected spaces due to the nature of wood. Please consider our appropriate exposure guidelines during your decision making process.

APPROPRIATE EXPOSURE

For best performance and to meet the standard Simpson warranty, any exterior door should be installed under an overhang or with sufficient protection. Adequate overhang depends on typical weather conditions of the area where the door is installed, but at the minimum means an overhang projecting a distance from the structure equal to one half the distance between the bottom of the door and the bottom of the overhang (see figure 1 below).

To offer enhanced protection virtually all our exterior doors feature WaterBarrier technology offering a five-year limited warranty. For maximum performance in various climate zones, Nantucket® Collection doors come with a ten- and five-year limited warranty.





Scan for complete warranty information, installation instructions and care and finishing recommendations, or visit

https://www.simpsondoor.com/project-center/

lailored to your needs, our door systems allow you to address these challenges by choosing from a wide variety of quality highperformance system components. Custom machined components make installation at the job site quick and worry-free.

Please ask your Alliance Door Products representative about additional system component options and our **PROGUARD** packaging to help protect the door at your building site from dings and dents during the construction process.





PANOLOCK+ MULTI-POINT LOCK

Use of multi-point locks has been limited, primarily due to high cost, difficult installation and operation, and the limitations of dedicated handleset hardware that are required for each manufacturer's lock offering.

PanoLock+ works with off-the-shelf hardware. Kwikset, Emtek, Schlage, Gatehouse, Brinks, Defiant* and more. PanoLock+ integrates with many brands and a variety of locksets through an innovative system of adapters.*

* Please refer to our website to verify that your preferred locksets have been tested for compatibility with PanoLock+. https://www.enduraproducts.com/panolock-plus/

EASY TO LIVE WITH.

A simple turn of the deadbolt operates both tapered bolts smoothly and the handleset operates the handleset latch. Three points of secure contact. PanoLock®+ is easy to live with, even after years of use.

EASY TO WORK WITH.

PanoLock+ is flexible. Handing and swing can be set any time, in the shop or on the job site.

- No dedicated hardware required
- No difficult installation

SECURE PERFORMANCE.

PanoLock+ delivers the strength of three locking points for uncompromised protection. No weak hooks or catches. Just tested, proven strength.

■ DP75 Rated

Works with a variety of STANDARD HARDWARE, including ELECTRONIC DEADBOLTS.










Thumb press, lever or knob. Even electronic deadbolts.

Matching hardware throughout the house is now a possibility.

PanoLock+ is the multi-point lock you've been waiting for. Scan for more information.







SQUARE GROOVE | DOUGLAS FIR



4974, 4977 and 4973 doors and sidelites are available with your





Satin Etch

4974 DOOR (GLASS ON RIGHT) 4977 DOOR (GLASS ON LEFT) **4973 SIDELITE**





Satin Etch, Low-E IG 3'0" x 6'8" Door 1'2" x 6'8" Sidelite



Satin Etch, Low-E IG 3'0" x 8'0" Door



UltraBlock® Technology

IG = 3/4" Insulated Glass

UltraBlock® Technology

IG = 3/4" Insulated Glass



CRAFTSMAN COLLECTION

Exquisite craftsmanship has been a fundamental pillar of American architecture across generations, serving as the bedrock of our nation's greatness. Our exterior Craftsman style doors embody this tradition with their exceptional quality and meticulous attention to detail.

All Craftsman doors come standard with UltraBlock® Technology and a 5-Year limited warranty.




8-1/2" WIDE STILE

Our 3'6" x 6'8" 2-Panel Craftsman Doors feature 8-1/2" Stiles and are available with all our craftsman style glass options.

SIMULATED DIVIDED LITE (SDL) FOR EXTERIOR DOORS

Features a single insulated glass unit (IG) with bars applied to the glass surface, providing the look of traditional True Divided Lites with improved performance. The 7/8" wide SDL bars allow more viewing area and the single glass unit improves energy efficiency.



The lite construction type is indicated in the door design number as SDL (Simulated Divided Lites) or TDL (True Divided Lites). Our Alliance Door Products' standard lite construction is Simulated Divided Lite. All doors shown are SDL, unless otherwise noted.


Please note, select SDL door designs are also available with True Divided Lites (TDL). Please contact your Alliance Door Products representative for more information.

DOUGLAS FIR



UltraBlock® Technology 3/4" Flat Panel with Ovolo Sticking

*See page 8 for more details | IG = 3/4" Insulated Glass | TDL = True Divided Lite | If not specified: SDL = Simulated Divided Lite





9541 Large Tooth

9540 Small Tooth

9510

Large Tooth Sidelite Dentil

For the finishing touch, consider a dentil shelf. This decorative shelf sits under the glass adding character and curb appeal to your entrance. All exterior Craftsman doors are available with dentil shelf option.





UltraBlock® Technology 3/4" Flat Panel with Ovolo Sticking

DIVIDED LITE CONSTRUCTION

Divided lites have been an integral part of our heritage for centuries. We provide two primary construction options: Simulated Divided Lite (SDL), which is the Alliance Door Products Standard, and True Divided Lite (TDL).


TRUE DIVIDED LITE (TDL) FOR EXTERIOR AND INTERIOR DOORS

TDL construction uses separate glass units divided by muntin bars and is available for doors with either insulated glass (IG) or single glazed glass (SG).





TDL SINGLE PANE WITH CLAMP GLAZE





Clear Beveled IG, Low-E IG or Clear IG 3'0" x 6'8" Door 1'2" x 6'8" Sidelite OPEN

(glass options non-stock)



TDL | Low-E 3/4" Solid Flat Panel 3'0" x 6'8"









UltraBlock® Technology NO UltraBlock® Technology



Shaker; 3/4" Solid Flat Panel with Square Sticking



1-7/16" Innerbond® Double-Hip Raised Panel with Ovolo Sticking







37662 DOOR **37663 SIDELITE**

UB RP 2


Clear IG 3'0" x 6'8" Door 1'2" x 6'8" Sidelite

Clear IG 3'0" x 8'0" Door











FOUR SQUARE® | DOUGLAS FIR







Black Caming 3'0" x 6'8", 3'0" x 7'0", and 3'6" x 6'8" (8-1/2" stiles)

6961



Black Caming 3'0" x 8'0"



6951 **AM** Angled Mutt Black Caming 3'0" x 6'8"



6951 **AR** Arched Rail Black Caming 3'0" x 6'8"



UB (FP) Black Caming



Black Caming UB (FP) 1'2" x 6'8"


6179




Black Caming **UB** 1'2" x 6'8"

6176





UltraBlock® Technology 3/4" Flat Panel with Ovolo Sticking













(B) (F) Dentil Shelf Black Caming 3'0" × 6'8", 3'0" × 7'0",

6841

Black Caming 3'0" x 8'0"

6841 **AM** Angled Mutt Black Caming 3′0″ x 6′8″

6841 **AR** Arched Rail Black Caming 3′0″ x 6′8″





VALENCIA™ | *DOUGLAS FIR*







3'0" x 8'0"



Angled Mutt

Optional 9541

Dentil Shelf

Black Caming 3'0" x 6'8"





36843 **AR** Arched Rail Black Caming 3'0" x 6'8"



UB FP

Black Caming 3'0" x 6'8"

UltraBlock® Technology 3/4" Flat Panel with Ovolo Sticking



HOLBROOK™ | *DOUGLAS FIR*











6821 **AM** Angled Mutt Silver Caming 3′0″ × 8′0″

6821 **AR** Arched Rail Silver Caming 3′0″ × 8′0″







TORRANCE® | DOUGLAS FIR



Optional 9541 Dentil Shelf Silver Caming 3'0" x 6'8"



Silver Caming 3'0" x 6'8", 3'0" x 7'0", and **3'6" x 6'8"** (8-1/2" stiles)



Silver Caming 3'0" x 8'0"



36823 **AM** Angled Mutt Silver Caming 3'0" x 6'8"



36823 AR Arched Rail Silver Caming 3'0" x 6'8"



3'0" x 6'8"







RAVENNA™ | DOUGLAS FIR



UB (FP) Black Caming 3'0" x 6'8"



Black Caming 3'0" x 6'8", 3'0" x 7'0", UB (FP) and 3'6" x 6'8" (8-1/2" stiles)



Black Caming 3′0″ × 8′0″



6931 **AM** Angled Mutt Black Caming 3'0" x 6'8"



6931 **AR** Arched Rail Black Caming 3'0" x 6'8"



UB FP 1 Optional 9541 Dentil Shelf Black Caming 3'0" x 6'8"







6177	
UB	Black Caming 1'2" x 6'8"






6941



 $IG = 3/4" \ Insulated \ Glass \ | \ TDL = True \ Divided \ Lite \ | \ If \ not \ specified: SDL = Simulated \ Divided \ Lite \ | \ SDL = Simulated \ Divided \ Lite \ | \ SDL = Simulated \ Divided \ Lite \ | \ SDL = Simulated \ Divided \ Lite \ | \ SDL = Simulated \ Divided \ Lite \ | \ SDL = Simulated \ Divided \ Lite \ | \ SDL = Simulated \ Divided \ Lite \ | \ SDL = Simulated \ Divided \ Lite \ | \ SDL = Simulated \ Divided \ Lite \ | \ SDL = Simulated \ Divided \ Lite \ | \ SDL = Simulated \ Divided \ Lite \ | \ SDL = Simulated \ Divided \ Lite \ | \ SDL = Simulated \ Divided \ Lite \ | \ SDL = Simulated \ Divided \ Lite \ | \ SDL = Simulated \ Divided \ Lite \ | \ SDL = Simulated \ Divided \$



TALCOTT™ | DOUGLAS FIR











3'0" x 6'8"

UB (FP) Black Caming 3'0" x 6'8", 3'0" x 7'0", and 3'6" x 6'8" (8-1/2" stiles)

Black Caming 3′0″ × 8′0″

36932 AM Angled Mutt Black Caming 3′0″ x 6′8″

36932 AR Arched Rail Black Caming 3′0″ x 6′8″

3'0" x 6'8"

PALOMAR™ | DOUGLAS FIR











UB (FP)




Black Caming 3'0" x 6'8"



Black Caming 3'0" x 8'0"

36933 **AM** Angled Mutt Black Caming 3'0" x 6'8"

36933 **AR** Arched Rail Black Caming 3'0" × 6'8"















UB (FP) 3'0" x 6'8", 3'0" x 7'0", and 3'6" x 6'8" (8-1/2" stiles)

Black Caming 6972 AM Angled Mutt Black Caming 3'0" x 6'8"

6972 **AR** Arched Rail Black Caming 3′0″ x 6′8″

UB (FP) 3'0" x 6'8"





PORTSMOUTH® | SCARBOROUGH® | GREENWICH® | DOUGLAS FIR









3'0" x 6'8" Door 1'2" x 6'8" Sidelite

Black Caming 3'0" x 8'0" Door 1'2" x 8'0" Sidelite





6356 DOOR 6347 SIDELITE

UB (FP)

CALIFORNIA POPPY® | DOUGLAS FIR













and 3'6" x 6'8" (8-1/2" stiles)

Angled Mutt Black Caming 3'0" x 8'0"

6962 **AR** Arched Rail Black Caming 3'0" x 6'8" 3'0" x 6'8"

Black Caming UB FP 3'0" x 6'8"

6983

NORTHWEST GARDEN® | DOUGLAS FIR













UB (FP) 3'0" x 6'8", 3'0" x 7'0", and 3'6" x 6'8" (8-1/2" stiles)

Black Caming 3'0" x 8'0"

6992 **AM** Angled Mutt Black Caming 3′0″ x 6′8″


6992 **AR** Arched Rail Black Caming 3'0" x 6'8"


Black Caming 3'0" x 6'8"












IG = 3/4" Insulated Glass | TDL = True Divided Lite | If not specified: SDL = Simulated Divided Lite








IG = 3/4" Insulated Glass | TDL = True Divided Lite | If not specified: SDL = Simulated Divided Lite

UltraBlock® Technology 3/4" Flat Panel with Ovolo Sticking



FRENCH DOORS | DOUGLAS FIR








WATERBARRIER **TECHNOLOGY**

WaterBarrier combines a medium density overlay (MDO) over the exterior surface of the door with PVC glazing beads for an exterior that's not only resistant to moisture, but provides a beautiful surface for paint.

When paired with Douglas Fir on the interior, you can harmonize with your indoor woodwork while maintaining the inviting warmth and inherent beauty that wood offers.





Low-FIG Douglas Fir 2'6", 2'8", 2'10", 3'0" x 6'8"




Low-FIG Douglas Fir 2'6", 2'8", 3'0" x 6'8" (4-1/2" stiles)



(UB) (W)

Low-E IG Douglas Fir 2'8", 3'0" x 6'8" (4-1/2" stiles)



ENTRY DOORS | DOUGLAS FIR



* Door glass not reversible. As viewed from exterior of home. ** See page 8 for more information.

UB RP 1



5/8" IG

3′0″ × 6′8″

UB RP

UltraBlock® Technology 1-1/4" Innerbond® Double-Hip Raised Panel with Ovolo Sticking

Black Caming

3′0″ × 6′8″

IG = 3/4" Insulated Glass | TDL = True Divided Lite | If not specified: SDL = Simulated Divided Lite 1-1/4" Caprice Double-Hip Raised Panel with Ovolo Sticking

Black Caming

1'2" x 6'8"

UB RP 1

Black Caming

3'0" x 8'0"



Black Caming

3′0 x 6′8″

UB RP

Black Caming

HALF LITE **DOORS**

Half Lite Doors offer enhanced privacy compared to French doors, while still permitting more natural light than panel doors. They are the ideal door design to build Dutch doors.



Dutch doors add a touch of charm and functionality to homes. The doors are divided horizontally, allowing the top and bottom halves to operate independently of each other. This design creates versatility in usage, as each half can be opened and closed separately. Ask us for more information.

Crafted with Simulated Divided Lite (SDL) construction and UltraBlock® Technology, these doors combine functionality with traditional charm.



DOUGLAS FIR



UB (FP) Low-E IG 2'8", 3'0" x 6'8" 4-1/2" stiles



UB FP Low-EIG 2′8″, 3′0″ x 6′8″ 4-1/2" stiles



Low-E IG 2′8″ x 6′8″ 4-1/2" stiles



UB RP 2 Low-E IG 2'8", 3'0" x 6'8" Door 4-1/2" or 5-1/2" stiles



1'2" x 6'8"



Low-E IG 2′8″, 3′0″ x 6′8″ 4-1/2" stiles



1'2" x 6'8"

IG = 3/4" Insulated Glass | TDL = True Divided Lite | If not specified: SDL = Simulated Divided Lite






7081





🕎 UltraBlock® Technology 😵 NO UltraBlock® Technology 💎 3/4" Flat Panel with Ovolo Sticking 😨 1-7/16" Innerbond® Double-Hip Raised Panel with Ovolo Sticking

7044



WESTERN HEMLOCK



5-1/2" wide stiles





NO UltraBlock® Technology

Shaker; 3/4" Flat Panel with Square Sticking



1-1/4" Caprice Double-Hip Raised Panel with Ovolo Sticking

RP 4



3′0″ x 6′8″ Flush Wood Stave Core Dowel-pinned Stile & Rail Joinery, Book Matched Face Veneers



2'8", 3'0" x 6'8" 4-1/2" stiles





3'0" x 6'8" 4-1/2" stiles UB (FP)



7344 7344 WLO 3'0" x 6'8" 4-1/2" stiles or UB RP 2 5-1/2" wide stiles







5-1/2" wide stiles only



3'0" x 6'8" 5-1/2" wide stiles only

RP 2



7465 3'0" x 6'8
5-1/2" wide stiles only






7282 WLO



UltraBlock® Technology NO UltraBlock® Technology Shaker; 3/4" Flat Panel with Square Sticking







SHAKER | FLAT PANEL | RAISED PANEL

SIZES IN STOCK

	1'6"	1'8"	1'10"	2'0"	2'2"	2'4"	2'6"	2'8"	2'10"	3'0"
A	٠	•	•	۰	٠	•	٠	٠	٠	۰
B	•			•		•	•	•		۰
E	•			•		•	•	٠	•	۰

















 $[\]bigstar$ For this model, doors 1'10" wide and narrower are built with 2 panels.

Shaker; 3/8" Flat Panel with Square Sticking





SHAKER | FLAT PANEL | RAISED PANEL











BIFOLD











Shaker; 3/8" Flat Panel with Square Sticking







(FP) 3/8" Flat Panel with Ovolo Sticking

 ${\scriptsize \begin{array}{c} {\scriptsize \begin{array}{c} {\scriptsize \textbf{RP}} \\ {\scriptsize \textbf{3}} \end{array}}}$ 3/4" Double-Hip Raised Panel with Ovolo Sticking

 $[\]mbox{\ensuremath{\bigstar}}$ For this model, doors 1'10" wide and narrower are built with 2 panels.

^{**} For this model, doors 1'10" wide and narrower are built with 3 panels.



SHAKER | PRIMED





SIZES IN STOCK

ı		1'6"	1'8"	1'10"	2'0"	2'2"	2'4"	2'6"	2'8"	2'10"	3'0"	3′6″
	A		•		۰		•				•	
	B	•			•		•	٠	٠		•	
	D				•			•			•	
	E	•			•		•	•	•	•	•	
	F				•		۰	•	•	٠	•	۰







Shaker; 3/8" Flat Panel with Square Sticking



 $[\]bigstar$ For this model, doors 1'10" wide and narrower are built with 2 panels.

SHAKER BIFOLD | PRIMED









FLAT OVOLO PANEL | PRIMED









FLAT OVOLO BIFOLD | PRIMED





3/8" Flat Panel with Ovolo Sticking

SIZES IN STOCK

	1'6"	1'8"	1'10"	2'0"	2'2"	2'4"	2'6"	2'8"	2'10"	3'0"	3′6″
A	•	•	•	•	•	•	•	•	•	•	
B	٠			•		٠	٠	٠		٠	
C				•		٠	٠	•		•	
0				•			•			٠	

LOUVER | RADIATA PINE | PRIMED




BIFOLD





SIZES IN STOCK

	1'6"	1'8"	1'10"	2'0"	2'2"	2'4"	2'6"	2'8"	2'10"	3'0"	3'6"
A	•	•	•	•	•	•	•	•	٠	•	
B	٠						٠				
©				٠		•	٠	٠		٠	
				٠			٠			۰	




BARN DOOR | KNOTTY ALDER | PRIMED






PRIMED





SIZES IN STOCK















OVOLO*
8001 SHAKER | QUIRK BEAD
Clear, Narrow Reed, Rain, Satin
Etch, Seedy Baroque Glass or
Mirror (one or two sided)
*Ovolo also available in 8'0"

8001

OPEN FP OVOLO Clear, Narrow Reed, Rain, Satin Etch, Seedy Baroque Glass or Mirror (one or two sided) 2'0", 2'4", 2'6" & 3'0" x 8'0"

SHAKER | QUIRK BEAD Pantry Glass 2'0", 2'4", 2'6" & 3'0" x 6'8"

PANTRY OVOLOPantry Glass
2'0", 2'4", 2'6" & 3'0" x 8'0"















1501* **(C)**

1590

1501

G

OVOLO | SHAKER | QUIRK BEAD Clear Glass Douglas Fir, Western Hemlock, Maple and Oak

OVOLO | SHAKER | QUIRK BEAD Narrow Reed Glass 6'8" Douglas Fir, Western Hemlock, Maple and Oak

1310

C

OVOLO | SHAKER | QUIRK BEAD Rain Glass 6'8" Douglas Fir, Western Hemlock, Maple and Oak

QUIRK BEAD Satin Etch Glass 6'8" Douglas Fir, Western Hemlock, Maple and Oak

QUIRK BEAD Seedy Baroque Glass 6'8" Douglas Fir, Western Hemlock, Maple and Oak

QUIRK BEAD Mirror (one or two sided) 6'8" Douglas Fir, Western Hemlock, Maple and Oak

WLO OVOLO Clear Glass 6'8" 1-3/4" only 2'6", 2'8", 3'0" x 6'8" and 3'0" x 7'0" 5-1/2" wide stiles Douglas Fir



OVOLO | SHAKER | QUIRK BEAD Pantry Douglas Fir and Western Hemlock



OVOLO TDL Clamped glazed Clear Glass Douglas Fir and Western Hemlock



OVOLO TDL Clamped glazed Clear Glass Douglas Fir

1315



*1501 Maple and 1501 Oak are availale with ovolo beading only.

KNOTTY ALDER



OVOLO | SHAKER | QUIRK BEAD Clear Glass 6'8" Knotty Alder



OVOLO | SHAKER | QUIRK BEAD Narrow Reed Glass 6'8" Knotty Alder



OVOLO | SHAKER | QUIRK BEAD Rain Glass 6'8" Knotty Alder



OVOLO | SHAKER | QUIRK BEAD Satin Etch Glass 6'8" Knotty Alder



OVOLO | SHAKER | QUIRK BEAD Seedy Baroque Glass 6'8" Knotty Alder



OVOLO | SHAKER | QUIRK BEAD Mirror (one or two sided) 6'8" Knotty Alder



OVOLO | SHAKER | QUIRK BEAD Pantry Glass 6'8" Knotty Alder

FIRE-RATED PANEL DOORS 20-MINUTE

Fire-Rated panel doors are a requirement for the door passage into your garage. Our range of door designs offers ample choices to help you complete your home package.

UltraBlock® is not available with Fire-Rated Panel Doors. All Fire-Rated Panel Doors carry a 1-Year limited warranty.

SHAKER | PRIME

















(3) Shaker 20-Minute 1-3/4" 2'8", 3'0" x 6'8" Douglas Fir

9320

9360

(V)

9265

(3)



20-Minute 1-3/4" 2'8", 3'0" x 6'8" Douglas Fir



Shaker 20-Minute 1-3/4" 2'8", 3'0" × 6'8" Douglas Fir and Western Hemlock



Shaker 20-Minute 1-3/4" 2'8", 3'0" x 6'8" Knotty Alder



20-Minute 1-3/4" 2'8", 3'0" x 6'8" Douglas Fir and Western Hemlock

13



20-Minute 1-3/4" 2'8", 3'0" × 6'8" Knotty Alder



Shaker 20-Minute 1-3/4" 2′8″, 3′0″ x 6′8″ Douglas Fir and Western Hemlock



Shaker 20-Minute 1-3/4" 2'8", 3'0" x 6'8" Knotty Alder



Shaker 20-Minute 1-3/4" 3'0" x 6'8" Douglas Fir

9330



Shaker 20-Minute 1-3/4" 2'8", 3'0" x 6'8" Douglas Fir and Western Hemlock

9355

(1)



RP 20-Minute 1-3/4" 2'8", 3'0" x 6'8" Douglas Fir



20-Minute 1-3/4" 2'8", 3'0" x 6'8" Douglas Fir and Western Hemlock



RP 20-Minute 1-3/4" 2′8″, 3′0″ × 6′8″ Knotty Alder



20-Minute 1-3/4" 2′8″, 3′0″ x 6′8″ Douglas Fir and Western Hemlock



(3)

RP 20-Minute 1-3/4" 2′8″, 3′0″ x 6′8″ Douglas Fir and Western Hemlock








🔞 3/4" Fire-Rated Flat Panel with Ovolo Sticking




🚺 1-7/16" Fire-Rated Panel with Ovolo Sticking



















AllianceDoorProducts.com